

SAFETY INFORMATION

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0

MATERIAL SAFETY DATA SHEET

Page 1 of 3

**FS-3500
FLOOR STRIPPER**

SECTION I PRODUCT IDENTITY

PRODUCT TRADE NAME: FS-3500
DISTRIBUTED BY: Static Solutions
EFFECTIVE DATE: 1/1/15

SECTION II HAZARDOUS INGREDIENTS

INGREDIENT	APPROX. WT %	EXPOSURE LIMIT/TOXICITY
(PA, NJ, MA) monoethanolamine (CAS #000141-43-5) TWA,6ppm	.0-5.0	3ppm/ACGIH/OSHA ACGIH/OSHA STEL LD50:2050 mg/kg Not est.
Cocoamphodipropionate (CAS# 68604-71-7)	1.0-3.0	
Sodium Metasilicate (CAS# 6834-92-0)	1.0-5.0	Not est. LD50:847 mg/kg (oral-rat) 250 mg/kg (dermal-rabbit)
(PA,NJ,MA,SARA)Ethylene Glycol Butyl Ether (CAS# 000111-76-2)	5.0-10.0	25ppm/ACGIH/OSHA TWA (skin) LD50:560-3000mg/kg (oral-rat) LC50:500ppm(inhalation-rat)4 hrs.
Tetrasodium Salt of EDTA (CAS # 64-02-8)	. 0-2.0	Not est. LD50:300mg/kg (oral-rat) LC50:7500 mg/kg (dermal-rabbit)

SECTION III PHYSICAL DATA

BOILING POINT (DEGREES F.): 212	SPECIFIC GRAVITY: 1.050
VAPOR PRESSURE: = To Water	% VOLATILES BY WEIGHT: 80-90
VAPOR DENSITY: = To Water	EVAPORATION RATE: = To Water
SOLUBILITY IN WATER: Complete	pH: 10.9 - 11.9
APPEARANCE: Thin clear red liquid	
ODOR: slight solvent	

SECTION IV FIRE AND EXPLOSION DATA

FLASH POINT (DEGREES F.): None to boiling
FLAMMABLE LIMITS: N/A
EXTINGUISHING MEDIA: Water, CO2, Dry Chemical, Foam
UNUSUAL FIRE AND EXPLOSION HAZARDS: Heated material may liberate irritating fumes

**Static Solutions
43 Broad Street
Hudson, MA 01749
978-310-7251**

MATERIAL SAFETY DATA SHEET

Page 2 of 3

FS-3500

SECTION V REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: None

INCOMPATIBILITY: Strong acids and oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Oxides

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None.

SECTION VI HEALTH HAZARD DATA

EFFECTS OF OTHER EXPOSURE: May cause irritation and chemical burns to skin and eyes. If ingested may cause burns to mouth, throat and gastrointestinal system.

EMERGENCY AND FIRST AID PROCEDURES:

FOR SKIN: Wash affected area thoroughly with water. If blistering is apparent or irritation persists, call a physician.

FOR EYES: Flush with water for at least 15 minutes. Get immediate medical aid.

IF INGESTED: DO NOT INDUCE VOMITING. Give milk, egg white, gelatin, or if none of these available, give water. Get immediate medical aid.

INHALATION: Not known to cause inhalation problems.

LISTED CARCINOGEN, MUTAGEN, TERATOGEN: None.

SECTION VII SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Recontainerize by mopping, wet vac or by using a suitable absorbent. All disposal methods must be in compliance with Federal, State and local laws and regulations. Waste characterizations are the responsibility of the waste generator.

SECTION VIII

SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Not required.

VENTILATION: Local.

PROTECTIVE GLOVES: Rubber or latex gloves required.

EYE PROTECTION: Safety glasses or goggles required.

OTHER PROTECTIVE EQUIPMENT: None required.

Static Solutions
43 Broad Street
Hudson, MA 01749
978-310-7251

MATERIAL SAFETY DATA SHEET

Page 3 of 3

FS-3500

SECTION IX HANDLING AND STORAGE

PRECAUTIONARY INFORMATION: CORROSIVE: Avoid contact. May burn skin and damage eyes. Harmful if swallowed. When handling, wear eye protection and rubber gloves.

OTHER HANDLING AND STORAGE CONDITIONS: Store in a cool dry place with adequate ventilation. Wash thoroughly after handling. Launder contaminated clothing/equipment before reuse.

KEEP OUT OF REACH OF CHILDREN

SECTION X REGULATORY INFORMATION

All ingredients of this product are either listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

These ingredients from Section 2 are subject to the following reporting requirements:

PA- The Pennsylvania Hazardous Substance List

NJ- The New Jersey Right To Know Hazardous Substance List

MA- The Massachusetts Hazardous Substance List

SARA- The Superfund Amendments to Reauthorization Act of 1986 Title III, Section 313 and 40 CFR Part 372.

SECTION XI USERS RESPONSIBILITY

Static Solutions cannot anticipate all conditions of handling and use of this product. Therefore, Static Solutions accepts no responsibility for results obtained by the application of this information or the safety and suitability of our products either alone or in combination with any other products. This document has been prepared using resources and data considered to be technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein.

Prepared by Manufacturer's Technical Support Group

Revised 1/1/15

DOT: COMPOUNDS, CLEANING LIQUIDS. N.O.S., NA1760, PGIII